

## Technical Data Sheet

# BODIOS Protection No. 344

<b>Application range</b>	In the interior, as a final coating for wooden surfaces previously oiled with BODIOS No. 340/343, e.g. for toys.
<b>Technical qualities</b>	Silk matt, water-based, quick-drying, solvent-free. As gloss supplement and refreshment – <u>without</u> making the surface yellowish. Water-repellent protective film.
<b>Full declaration</b>	Water, acetic acid, silica, chitosan, silver glass powder.
<b>Color</b>	Transparent.
<b>Preparation</b>	The surface must be dry, solid, clean and free of grease and dust.
<b>Application method</b>	Apply undiluted with a brush or polish with a non-fibrous cotton cloth, at temperatures above 12°C.
<b>Coverage</b>	Determine the exact amount needed by doing a test application. 1 liter (1.06 quart) is sufficient for approximately 24 m <sup>2</sup> (258 ft <sup>2</sup> ), i.e. 42 ml/m <sup>2</sup> . Could be considerably less, depending on the condition and absorbency of the surface.
<b>Cleaning</b>	Clean equipment immediately after use with LATIS Intensive Cleaner No. 551 or TRENA pH-Neutral Cleaner No. 556 diluted with warm water.
<b>Drying time</b>	At room temperature approximately 2.5 to 3 hours depending on application amount, temperature and humidity.
<b>Specific gravity</b>	Approximately 0.9 g/ml.
<b>Safety advice</b>	Stir or shake well before use. P102 Keep out of reach of children.
<b>Disposal</b>	According to locally regulated laws.
<b>Container sizes</b>	0.25; 0.5 l; 10 l.
<b>Storage</b>	Cool and dry. Shelf life: unopened at least 1 year. Close opened containers tightly.

These directions are the results of long years of research and practical testing. They are backed by our most current expert information. New findings may invalidate this information. The latest version is available on our website at [www.livos.de](http://www.livos.de). This data sheet is meant to serve as information and instruction. No legal liability should be interpreted from it. In case of doubt, please contact the LIVOS customer service.

September 2022

**LIVOS Plant Chemistry D-29559 Wrestedt OT Emern • Tel. +49 5825 / 88-0 • Fax 88-60 • [www.livos.de](http://www.livos.de) • [info@livos.de](mailto:info@livos.de)**